

ACTA METALLURGICA ET MATERIALIA

CONTENTS AND AUTHOR INDEX VOLUME 40 1992

Board of Directors

Professor Gareth Thomas
Dr William W. Scott Jr
Professor Mats Hillert
Professor William W. Gerberich

Professor P. Haasen
Professor Robert C. Gifkins
Robert B. Wood

Dr Robert Fullman, *Secretary-Treasurer*

Professor Bernard H. Kear, *Chairman*

Editor

Professor Michael F. Ashby, University of Cambridge, University Engineering Laboratories,
Trumpington Street, Cambridge CB2 1PZ, England

Deputy Editor

Professor L. M. Brown

Assistant to the Editor

Mrs Irene Kightley

Associate Editors

Professor Carlos A. Pampillo (*Argentina*)
Professor I. Polmear (*Australia*)
Professor B. Lux (*Austria*)
Professor D. L. Delaey (*Belgium*)
Professor M. A. Mannheimer (*Brazil*)
Professor W. Tyson (*Canada*)
Professor J.-m. Xiao (*China*)
Professor V. Lindroos (*Finland*)
Professor L. P. Kubin (*France*)
Professor P. Haasen (*Germany*)

Professor S. Ranganathan (*India*)
Professor David G. Brandon (*Israel*)
Dr M. Vittori (*Italy*)
Professor T. Mori (*Japan*)
Professor N. J. Kim (*Korea*)
Professor M. J. Yacaman (*Mexico*)
Professor J. T. M. De Hosson (*The Netherlands*)
Professor V. L. Indenbom (*Russia*)
Professor F. R. N. Nabarro (*South Africa*)
Professor Mats Hillert (*Sweden*)
Professor John P. Hirth (*U.S.A.*)

Advertising and Subscription Offices: Enquiries from customers in North America should be sent to: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and from the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, England.

Publishing Office: Pergamon Press Ltd, Pergamon House, Bampfylde Street, Exeter EX1 2AH, England.

ACTA METALLURGICA ET MATERIALIA

CONTENTS OF VOLUME 40

NUMBER 1

T. M. Pollock and A. S. Argon	1	Overview No. 95: Creep resistance of CMSX-3 nickel base superalloy single crystals
J. M. Duva and P. D. Crow	31	The densification of powders by power-law creep during hot isostatic pressing
S. Suriñach, M. D. Baro, J. A. Diego, N. Clavaguera and M. T. Clavaguera-Mora	37	A new temperature versus heating rate transformation (T-HR-T) diagram: application to study the crystallization behaviour of $\text{Fe}_{67.5}\text{Co}_{15}\text{Nb}_{1.5}\text{B}_{16}$ metallic glass
A. D. Rollett, M. J. Luton and D. J. Srolovitz	43	Microstructural simulation of dynamic recrystallization
A. Choudhury, C. L. White and C. R. Brooks	57	The intergranular segregation of boron in Ni_3Al : equilibrium segregation and segregation kinetics
B. N. Cox and C. S. Lo	69	Load ratio, notch, and scale effects for bridged cracks in fibrous composites
H. Kung, D. R. Rasmussen and S. L. Sass	81	Grain boundaries in Ni_3Al —I. The local compositional order
H. Kung and S. L. Sass	99	Grain boundaries in Ni_3Al —II. The dislocation structure of small angle boundaries
Kwang-Ryeol Lee and Duk N. Yoon	107	Chemically-induced liquid film migration with low lattice diffusivity relative to the migration rate in Mo-Ni-(W)
I. J. Ford	113	Intergranular fracture of fast reactor irradiated stainless steel
A. G. Every, Y. Tzou, D. P. H. Hasselman and R. Raj	123	The effect of particle size on the thermal conductivity of ZnS/diamond composites
M. C. Watson and T. W. Clyne	131	The use of single fibre pushout testing to explore interfacial mechanics in SiC monofilament-reinforced Ti—I. A photo-elastic study of the test
M. C. Watson and T. W. Clyne	141	The use of single fibre pushout testing to explore interfacial mechanics in SiC monofilament-reinforced Ti—II. Application of the test to composite material
M. S. Duesbery, N. P. Louat and K. Sadananda	149	The mechanics and energetics of cross-slip

- | | | |
|---|-----|---|
| S. Meagher, R. S. Borch,
J. Groza, A. K. Mukherjee
and H. W. Green II | 159 | Activation parameters of high-temperature creep in polycrystalline nickel at ambient and high pressures |
| M. H. Oh, H. Inui,
A. Nakamura and
M. Yamaguchi | 167 | Recovery and recrystallization of cold-rolled polysynthetically twinned (PST) crystals of TiAl |
| S. M. Pickard, E. Manor,
H. Ni, A. G. Evans and
R. Mehrabian | 177 | The mechanical properties of ceramic composites produced by melt oxidation |
| Seong-Jai Cho,
Hahngue Moon,
B. J. Hockey and
S. M. Hsu | 185 | The transition from mild to severe wear in alumina during sliding |
| K. J. Bowman
and R. Gibala | 193 | Stress asymmetry in cyclic deformation of b.c.c. metals |
| C. Ko and R. B. McLellan | 201 | Thermodynamics of Co-B-H ternary solid solutions |

NUMBER 2

- | | | |
|--|-----|---|
| B. Bay, N. Hansen,
D. A. Hughes and
D. Kuhlmann-Wilsdorf | 205 | Overview No. 96: Evolution of f.c.c. deformation structures in polyslip |
| K. Aoki, X-G. Li and
T. Masumoto | 221 | Differential thermal analysis of hydrogen-induced amorphization in C15 laves phase $GdFe_2$ |
| H. Y. Liu and H. Jones | 229 | Solidification microstructure selection and characteristics in the zinc-based Zn-Mg system |
| P. F. Thomason | 241 | A model of dynamic fracture-toughness under conditions of nucleation-controlled ductile fracture |
| D. Ma and P. R. Sahm | 251 | Solidification behavior of superalloy IN 939 in melt spinning |
| L. X. Han, R. Warren
and S. Suresh | 259 | An experimental study of toughening and degradation due to microcracking in a ceramic composite |
| S. P. Ringer, W. B. Li
and K. E. Easterling | 275 | On the rotation of precipitate particles |
| S. Nourbakhsh, O. Sahin,
W. H. Rhee and H. Margolin | 285 | Microstructural characterization of a zirconia-toughened alumina fiber reinforced niobium aluminide composite |
| J. W. Hutchinson,
M. D. Thouless and
E. G. Liniger | 295 | Growth and configurational stability of circular, buckling-driven film delaminations |
| R. Kirchheim | 309 | Stress and electromigration in Al-lines of integrated circuits |

- | | | |
|---|-----|---|
| M. McCormack,
A. G. Khachaturyan and
J. W. Morris Jr | 325 | A two-dimensional analysis of the evolution of coherent precipitates in elastic media |
| A. Coujou, A. Beneteau
et N. Clément | 337 | Observation <i>in situ</i> dans un MET du cisaillement d'un joint de macle cohérent $\Sigma 3$ par une micromacle de déformation |
| A. B. C. Dadson and
R. D. Doherty | 345 | Transmission Pseudo-Kossel (TK) studies of the structure of hot-deformed (dynamically recovered) polycrystalline aluminium |
| K. T. Venkateswara Rao,
G. R. Odette and
R. O. Ritchie | 353 | On the contrasting role of ductile-phase reinforcements in the fracture toughness and fatigue-crack propagation behaviour of TiNb/ γ -TiAl intermetallic matrix composites |
| V. Perovic, G. C. Weatherly,
S. R. MacEwen and
M. Leger | 363 | The influence of prior deformation on hydride precipitation in Zircaloy |
| P. Schaaf, S. Wiesen
and U. Gonser | 373 | Mössbauer study of iron carbides: cementite (Fe, M) ₃ C (M = Cr, Mn) with various manganese and chromium contents |
| H. Yasuda, T. Takasugi
and M. Koiwa | 381 | Elasticity of Ni-based L1 ₂ -type intermetallic compounds |
| S. A. Mujahid and
H. K. D. H. Bhadeshia | 389 | Partitioning of carbon from supersaturated ferrite plates |
| Sun Ig Hong, Haruyuki Inui
and C. Laird | 397 | Latent hardening behavior of cyclically deformed Cu-16 at.% Al single crystals |
| Y. Sano, S. N. Chang,
M. A. Meyers and
S. Nemat-Nasser | 413 | Identification of stress-induced nucleation sites for martensite in Fe-31.8 wt% Ni-0.02 wt% C alloy |

NUMBER 3

- | | | |
|--|-----|---|
| K. Hono, A. Chiba,
T. Sakurai and S. Hanada | 419 | Determination of site occupation probability of Cu in Ni ₃ Al by atom-probe field ion microscopy |
| D. B. Marshall | 427 | Analysis of fiber debonding and sliding experiments in brittle matrix composites |
| D. B. Marshall, M. C. Shaw
and W. L. Morris | 443 | Measurement of interfacial debonding and sliding resistance in fiber reinforced intermetallics |
| Wu-Yang Chu,
A. W. Thompson and
J. C. Williams | 455 | Hydrogen solubility in a titanium aluminide alloy |
| K. K. Ray and G. Mandal | 463 | Study of correlation between fractal dimension and impact energy in a high strength low alloy steel |

P. S. Das, A. Biswas and B. K. Dhindaw	471	Modelling of eutectoid transformation in Zn-Al system
I. Roman and R. Aharonov	477	Mechanical interrogation of interfaces in monofilament model composites of continuous SiC fiber-aluminum matrix
M. H. Poehch and H. F. Fischmeister	487	Deformation of two-phase materials: a model based on strain compatibility
Huang Yuan-Ti and Ho Ming-Ko	495	A study of preferred orientation of martensite and shape change during phase transformation in Cu-Al-Ni-Mn alloy
R. Stalmans, J. Van Humbeeck and L. Delaey	501	Thermomechanical cycling, two way memory and concomitant effects in Cu-Zn-Al alloys
A. V. Gorbunov	513	Parameters of melting dendrites in NaCl
G. Abbruzzese, I. Heckelmann and K. Lücke	519	Statistical theory of two-dimensional grain growth—I. The topological foundation
K. Lücke, I. Heckelmann and G. Abbruzzese	533	Statistical theory of two-dimensional grain growth—II. Kinetics of grain growth
O. Hunderi and N. Ryum	543	The interaction between spherical particles and triple lines and quadruple points
Re-Jehn Jahn and A. H. King	551	Dissociation of grain boundaries induced by changes of composition, the ejection of dislocations from grain boundaries, and the nucleation of diffusion induced grain boundary migration
N. Ohno, T. Mizuno, H. Kawaji and I. Okada	559	Multiaxial creep of a nickel-base directionally solidified alloy: anisotropy and simulation
S. Venkadesan, C. Phaniraj, P. V. Sivaprasad and P. Rodriguez	569	Activation energy for serrated flow in a 15Cr-15Ni Ti-modified austenitic stainless steel
R. M. Imayev, O. A. Kaibyshev and G. A. Salishchev	581	Mechanical behaviour of fine grained TiAl intermetallic compound—I. Superplasticity
R. M. Imayev, O. A. Kaibyshev and G. A. Salishchev	589	Mechanical behaviour of fine grained TiAl intermetallic compound—II. Ductile-brittle transition
Yu. M. Mishin and I. M. Razumovskii	597	Analysis of an asymmetrical model for boundary diffusion

NUMBER 4

Q. Jiang and H. Xu	607	Microobservation of stress induced martensitic transformation in CuAlNi single crystals
C. M. Kennefick and R. Raj	615	Creep fracture experiments with planar sapphire-copper interfaces stressed in tension
K. Sieradzki and J. S. Kim	625	Etch pitting and stress-corrosion cracking of copper
H. K. Kim, J. C. Earthman and E. J. Lavernia	637	Directional solidification of Ni ₃ Al
P. R. Rios	649	Abnormal growth in the presence of coarsening particles
B. Dutta, E. Valdes and C. M. Sellars	653	Mechanism and kinetics of strain induced precipitation of Nb(C, N) in austenite
K. K. Soni, D. B. Williams, J. M. Chabala, R. Levi-Setti and D. E. Newbury	663	Electron and ion microscopy studies of Fe-rich second-phase particles in Al-Li alloys
M. F. Bartholomeusz and J. A. Wert	673	Effect of dislocation dissociation on crack tip plasticity in L1 ₂ intermetallic alloys
Panping Zhu and R. W. Smith	683	Dynamic simulation of crystal growth by Monte Carlo method—I. Model description and kinetics
T. Kamijo, H. Adachihara, H. Fukutomi and E. Aernoudt	693	Development of cube texture in aluminum single crystals of a stable orientation
S. M. Collard and R. B. McLellan	699	High-temperature elastic constants of platinum single crystals
C. L. Fu and M. H. Yoo	703	Deformation behavior of B2 type aluminides: FeAl and NiAl
Z. Fang, B. R. Patterson and M. E. Turner	713	Influence of particle size distribution on coarsening
C. Nishimura and C. T. Liu	723	Environmental embrittlement in L1 ₂ -ordered (Co, Fe) ₃ V alloys
J. Miyake and M. E. Fine	733	Electrical conductivity versus strength in a precipitation hardened alloy
P. A. Duine, J. Sietsma and A. van den Beukel	743	Defect production and annihilation near equilibrium in amorphous Pd ₄₀ Ni ₄₀ P ₂₀ investigated from viscosity data
G. W. Koebrugge, J. Sietsma and A. van den Beukel	753	Structural relaxation in amorphous Pd ₄₀ Ni ₄₀ P ₂₀
G. Some, J. Bernardini and C. Lexcellent	761	Effective diffusion coefficient involved in the high temperature viscoplastic behavior law of Cu-Sn (15-20 at.% Sn)

- | | | |
|---|-----|--|
| T. Robert, M. E. Noguez,
G. Salas and S. Montejano | 771 | Influence of grain refinement on some mechanical properties of non ferrous cast alloys |
| H. J. Frost, C. V. Thompson
and D. T. Walton | 779 | Simulation of thin film grain structures—II. Abnormal grain growth |
| B. B. Straumal,
O. I. Noskovich,
V. N. Semenov,
L. S. Shvindlerman,
W. Gust and B. Predel | 795 | Premelting transition on $38^\circ\langle 100 \rangle$ tilt grain boundaries in (Fe-10 at.% Si)-Zn alloys |
| S. Schänzer and E. Nembach | 803 | The critical resolved shear stress of γ' -strengthened nickel-based superalloys with γ' -volume fractions between 0.07 and 0.47 |
| B. A. Greenberg,
O. V. Antonova,
L. E. Karkina, A. B. Notkin
and M. V. Ponomarev | 815 | Dislocation transformation and the anomalies of deformation characteristics in TiAl—III. Temperature evolution of dislocation structure |
| B. A. Greenberg,
O. V. Antonova,
L. E. Karkina, A. B. Notkin
and M. V. Ponomarev | 823 | Dislocation transformation and the anomalies of deformation characteristics in TiAl—IV. Observation of blocked dislocations |
| D. R. Haefner and
J. B. Cohen | 831 | The structure of G.P. zones in an Al-Cu-Zn alloy |
| Yu. M. Mishin and
I. M. Razumovskii | 839 | A model for diffusion along a moving grain boundary |
| P. Gomiero, F. Livet,
Y. Brechet and F. Louchet | 847 | Microstructure and mechanical properties of a 2091 AlLi alloy—I. Microstructure investigated by SAXS and TEM |
| P. Gomiero, Y. Brechet,
F. Louchet, A. Tourabi
and B. Wack | 857 | Microstructure and mechanical properties of a 2091 AlLi alloy—II. Mechanical properties: yield stress and work hardening |
| P. Gomiero, Y. Brechet,
F. Louchet, A. Tourabi
and B. Wack | 863 | Microstructure and mechanical properties of a 2091 AlLi alloy—III. Quantitative analysis of Portevin Le Chatelier instabilities and relation to toughness in Al-Li, Al-Cu-Mg and Al-Li-Cu-Mg (2091) alloys |
| P. R. Rios | 873 | On the relationship between time exponent and quasi stationary grain size distribution |
| R. A. Vandermeer and
R. A. Masumura | 877 | The microstructural path of grain-boundary-nucleated phase transformations |

NUMBER 5

V. N. Perevezentsev, V. V. Rybin and V. N. Chuvil'deev	887	Overview No. 97: The theory of structural superplasticity— I. The physical nature of the superplasticity phenomenon
V. N. Perevezentsev, V. V. Rybin and V. N. Chuvil'deev	895	Overview No. 97: The theory of structural superplasticity— II. Accumulation of defects on the intergranular and inter- phase boundaries. Accommodation of the grain-boundary sliding. The upper bound of the superplastic strain rate
V. N. Perevezentsev, V. V. Rybin and V. N. Chuvil'deev	907	Overview No. 97: The theory of structural superplasticity— III. Boundary migration and grain growth
V. N. Perevezentsev, V. V. Rybin and V. N. Chuvil'deev	915	Overview No. 97: The theory of structural superplasticity— IV. Cavitation during superplastic deformation
C-D. Qin, N. A. James and B. Derby	925	Palladium-zirconia diffusion bonds: mechanical properties and interface reactions
B. Straumal, T. Muschik, W. Gust and B. Predel	939	The wetting transition in high and low energy grain boundaries in the Cu(In) system
F. C. Larché and J. W. Cahn	947	Phase changes in a thin plate with non-local self-stress effects
M. Wagner	957	Intrinsic instability of nanocrystalline metals
R. M. McMeeking and L. T. Kuhn	961	A diffusional creep law for powder compacts
D. Schneider, A. Krell, T. Weiss and Th. Reich	971	Investigation of creep in (Al ₂ O ₃ + ZrO ₂)-ceramics by ultra- sonic surface waves
W. Krakow	977	A high resolution electron microscope study of a $\Sigma = 9/[110]$ 141.06° tilt boundary in Au
M. Carrard, M. Gremaud, M. Zimmermann and W. Kurz	983	About the banded structure in rapidly solidified dendritic and eutectic alloys
R. Schmelzle, B. Giakupian, T. Muschik, W. Gust and R. A. Fournelle	997	Diffusion induced grain boundary migration of symmetric and asymmetric $\langle 011 \rangle \{011\}$ tilt boundaries during the diffusion of Zn into Cu
K. S. Ravichandran	1009	The mechanics of toughness development in ductile phase reinforced brittle matrix composites
M. Sundararaman, W. Chen, R. P. Wahi, A. Wiedenmann, W. Wagner and W. Petry	1023	TEM and SANS investigation of age hardened Nimonic PE16 after cyclic loading at room temperature

R. G. Vardiman	1029	Microstructures in aluminum ion implanted with boron and heat treated
L. P. Kubin, Y. Estrin and C. Perrier	1037	On static strain ageing
K. Nogi, M. Tsujimoto, K. Ogino and N. Iwamoto	1045	Wettability of MgO single crystal by liquid pure Pb, Sn and Bi
S. R. Summerfelt and C. B. Carter	1051	Morphology of NiFe_2O_4 precipitation in NiO
O. Hunderi and N. Ryum	1069	A note on the stochastic theory of normal grain growth
P. H. Adler, G. B. Olson, M. F. Stevens and G. F. Gallegos	1073	On the constitutive relations for $\delta \rightarrow \alpha$ and $\alpha \rightarrow \delta$ martensitic transformation plasticity in plutonium alloys
H. Weiland	1083	The determination of long-range misorientations in the microstructure of materials
V. Srikanth and E. C. Subbarao	1091	Acoustic emission in ferroelectric lead titanate ceramics: origin and recombination of microcracks
J. Harase and R. Shimizu	1101	Coincidence grain boundary and (100)[011] secondary recrystallization in Fe-3% Si

NUMBER 6

M. Kogachi, S. Minamigawa and K. Nakahigashi	1113	Determination of long range order and vacancy content in the NiAl β' -phase alloys by X-ray diffractometry
Young-Won (Y-W.) Kim	1121	Microstructural evolution and mechanical properties of a forged gamma titanium aluminide alloy
L. K. Jain and R. C. Wetherhold	1135	Effect of fiber orientation on the fracture toughness of brittle matrix composites
D. P. Field and B. L. Adams	1145	Interface cavitation damage in polycrystalline copper
R. A. Vandermeer	1159	Microstructural path concept applied to normal grain growth
P. Kritsalis, V. Merlin, L. Coudurier and N. Eustathopoulos	1167	Effect of Cr on interfacial interaction and wetting mechanisms in Ni alloy/alumina systems
D. Ceccaldi, F. Yala-Sedrati, T. Baudin, R. Penelle et F. Royer	1177	Simulation de la texture de déformation en traction uniaxiale et calcul du coefficient de Lankford $R(\alpha)$ de tôles d'aciers extra doux—application au cas non orthotrope
C. S. Kim and J. M. Galligan	1187	The influence of viscosity on the escape rate from metastability—creep at low temperature

J. Rawers, J. Bennett, R. Doan and J. Siple	1195	Nitrogen solubility and nitride formation in Fe-Cr-Mn-Ni alloys
K. S. Kumar, S. K. Mannan and R. K. Viswanadham	1201	Fracture toughness of NiAl and NiAl-based composites
R. D. K. Misra and P. Rama Rao	1223	Grain boundary segregation in a low alloy steel under tensile loading conditions
F. Milstein and J. Marschall	1229	Structural bonding contributions and the elastic response of b.c.c. and f.c.c. crystals
J. P. Hirth and B. Carnahan	1237	Anisotropic elastic fields of twist boundaries
P. D. Warren, T. J. Mackin and A. G. Evans	1243	Design, analysis and application of an improved push-through test for the measurement of interface properties in composites
T. J. Mackin, P. D. Warren and A. G. Evans	1251	Effects of fiber roughness on interface sliding in composites
H. E. Dève, A. G. Evans and D. S. Shih	1259	A high-toughness γ -titanium aluminide
Jiang Xinggang, Cui Jianzhong and Ma Longxiang	1267	A fractal model for cavity damage and fracture of materials during superplastic deformation
Y. H. Pao and A. Gilat	1271	High strain rate deformation and failure of A533B steel at various temperatures
M. D. Thouless	1281	Mixed-mode fracture of a lubricated interface
M. D. Thouless, E. Olsson and A. Gupta	1287	Cracking of brittle films on elastic substrates
L. C. Brown	1293	A new examination of volume fraction effects during particle coarsening
K. Morii, J. Aoki and Y. Nakayama	1305	Fractal growth of Ga_6Mn phase in thin $\text{Ga}_{97}\text{Mn}_3$ amorphous films
E. Schumann, G. Schnotz, K. P. Trumble and M. Rühle	1311	Microstructural observations on the oxidation of γ' - Ni_3Al at low oxygen partial pressure
L. Müller, U. Glatzel and M. Feller-Kniepmeier	1321	Modelling thermal misfit stresses in nickel-base superalloys containing high volume fraction of γ' phase
D. R. Olander and U. M. El-Saied	1329	The effect of grain boundary motion on the kinetics of solute penetration into a polycrystalline medium
K. J. Handerhan and W. M. Garrison Jr	1337	A study of crack tip blunting and the influence of blunting behavior on the fracture toughness of ultra high strength steels

- | | | |
|--|------|---|
| K. Ono and M. Meshii | 1357 | Hydrogen detrapping from grain boundaries and dislocations in high purity iron |
| H. Numakura, K. Hasegawa and M. Koiwa | 1365 | Pseudoelastic and anelastic effects due to the motion of twin boundaries in copper-based alloys |
| E. Sirois and H. K. Birnbaum | 1377 | Effects of hydrogen and carbon on thermally activated deformation in nickel |
| V. A. Khonik, A. T. Kosilov, V. A. Kuzmitshev and G. A. Dzuba | 1387 | Inelastic torsion and strain recovery of metallic glasses |
| Khin Yong Lam and Jin Min Zhang | 1395 | Transformation twinning in monoclinic zirconia particles |
| Ariel J. S. Traïber and Samuel M. Allen | 1403 | Ground state structures in ordered b.c.c. ternary alloys with second-neighbor interactions |
| F. Ebrahimi and J. R. Castillo-Gomez | 1409 | The effect of plastic deformation on fracture morphology of the sigma phase in the Nb-Ti-Al system |
| J. Wang, X. F. Wu, B. X. Liu and Z. Z. Fang | 1417 | Correlation of 3d transition metal carbide phase formation with 3d electrons by carbon ion implantation |
| H. Okada, T. Tamura, N. Ramakrishnan, S. N. Atluri and J. S. Epstein | 1421 | Analysis of toughening of magnesia partially stabilized zirconia, due to dilatational transformation |
| V. Yu. Gertsman, A. P. Zhilyaev, A. I. Pshenichnyuk and R. Z. Valiev | 1433 | Modelling of grain boundary misorientation spectrum in polycrystals with crystallographic texture |

NUMBER 7

i The *Acta Metallurgica* J. Herbert Hollomon Award

- | | | |
|---|------|--|
| J. E. Taylor, J. W. Cahn and C. A. Handwerker | 1443 | Overview No. 98: I—Geometric models of crystal growth |
| J. E. Taylor | 1475 | Overview No. 98: II—Mean curvature and weighted mean curvature |
| B. N. Cox and C. S. Lo | 1487 | Simple approximations for bridged cracks in fibrous composites |
| Y.-G. Kim, U.-I. Chung and J.-Y. Lee | 1497 | Features of hydrogen-induced amorphization of the Er(Co, Mn) ₂ pseudo-binary Laves compound |
| F. Bley | 1505 | Neutron small-angle scattering study of unmixing in Fe-Cr alloys |

- | | | |
|--|------|--|
| G. R. Canova, H. R. Wenk
and A. Molinari | 1519 | Deformation modelling of multi-phase polycrystals: case of a quartz-mica aggregate |
| M. Bannister, H. Shercliff,
G. Bao, F. Zok
and M. F. Ashby | 1531 | Toughening in brittle systems by ductile bridging ligaments |
| J. C. Ion, H. R. Shercliff
and M. F. Ashby | 1539 | Diagrams for laser materials processing |
| R. Yang, N. Saunders,
J. A. Leake and
R. W. Cahn | 1553 | Equilibria and microstructural evolution in the $\beta/\beta'/\gamma'$ region of the Ni-Al-Ti system: modelling and experiment |
| R. Krishna Kumar,
R. Narasimhan
and O. Prabhakar | 1563 | Dynamic growth of tensile cracks by ductile and brittle fracture mechanisms in a viscoplastic material |
| M. A. Morris | 1573 | High temperature properties of ductile Cu-Al-Ni shape memory alloys with boron additions |
| Zhonghao Jiang, Jingke Liu
and Jianshe Lian | 1587 | A new relationship between the flow stress and the microstructural parameters for dual phase steel |
| B. J. Spencer,
P. W. Voorhees,
S. H. Davis
and G. B. McFadden | 1599 | The effect of compositionally-generated elastic stresses on morphological instability during directional solidification |
| S. R. Stiffler, P. V. Evans
and A. L. Greer | 1617 | Interfacial transport kinetics during the solidification of silicon |
| S. B. Luyckx,
F. R. N. Nabarro,
Siu-Wah Wai and
M. N. James | 1623 | The anisotropic work-hardening of WC crystals |
| R. A. Carolan, M. Egashira,
S. Kishimoto and N. Shinya | 1629 | The effect of grain boundary deformation on the creep micro-deformation of copper |
| M. Pierantoni, M. Gremaud,
P. Magnin, D. Stoll
and W. Kurz | 1637 | The coupled zone of rapidly solidified Al-Si alloys in laser treatment |
| R. J. Schaefer and
G. M. Janowski | 1645 | Phase transformation effects during HIP of TiAl |
| R. Spiegler and
H. F. Fischmeister | 1653 | Prediction of crack paths in WC-Co alloys |
| S. Tehuacanero, R. Herrera,
M. Avalos and
M. José Yacamán | 1663 | High resolution TEM studies of gold and palladium nanoparticles |
| G. E. Beltz and J.-S. Wang | 1675 | Crack direction effects along copper/sapphire interfaces |

- | | | |
|--|------|--|
| S. Ho and Z. Suo | 1685 | Microcracks tunneling in brittle matrix composites driven by thermal expansion mismatch |
| C. Papaphilippou,
Y. Chrysoulakis,
D. Pantelis and
P. Poupeau | 1691 | Surface aluminum alloy formation by electrodeposition from alkali chloride melts and by laser techniques |
| W. M. Mullins | 1699 | Constitutive equation for solidification |
| R. G. Stringfellow,
D. M. Parks and
G. B. Olson | 1703 | A constitutive model for transformation plasticity accompanying strain-induced martensitic transformations in metastable austenitic steels |
| K. Aoki, X.-G. Li and
T. Masumoto | 1717 | Factors controlling hydrogen-induced amorphization of C15 Laves compounds |
| Wang Rong, H.-O. Andrén,
H. Wisell and
G. L. Dunlop | 1727 | The role of alloy composition in the precipitation behaviour of high speed steels |
| Zhi'an Yang, Zhirui Wang,
Xiaobo Hu and
Zhongguang Wang | 1739 | Periodic strain burst behaviour of Al-0.87 Mg alloy in cyclic creep at intermediate temperatures |
| Liu Qing, Huang Xiaoxu,
Yao Mei and
Yang Jinfeng | 1753 | On deformation-induced continuous recrystallization in a superplastic Al-Li-Cu-Mg-Zr alloy |
| W. Liu, M. Bayerlein,
H. Mughrabi, A. Day
and P. N. Queded | 1763 | Crystallographic features of intergranular crack initiation in fatigued copper polycrystals |
| V. Paidar and S. Takeuchi | 1773 | Superplastic deformation carried by grain boundaries |
| H. Sens, N. Eustathopoulos,
D. Camel and J. J. Favier | 1783 | Solidification of binary and Sr-modified Al-Si eutectic alloys: theoretical analysis of solute fields |
| M. D. Dupouy, D. Camel
and J. J. Favier | 1791 | Natural convective effects in directional dendritic solidification of binary metallic alloys: dendritic array primary spacing |

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 8

i 1992 *Acta Metallurgica* Gold Medal

- | | | |
|--------------------------------------|------|--|
| F. J. Zerilli and
R. W. Armstrong | 1803 | The effect of dislocation drag on the stress-strain behavior of f.c.c. metals |
| G. Carro and
W. F. Flanagan | 1809 | Microstructural observations in rapidly-solidified and heat-treated Ni ₃ Al-Cr alloys |

- | | | |
|---|------|--|
| A. Imre, T. Pajkossy and
L. Nyikos | 1819 | Electrochemical determination of the fractal dimension of fractured surfaces |
| P. A. Mulheran | 1827 | Mean field simulations of normal grain growth |
| K. Ameyama,
G. C. Weatherly and
K. T. Aust | 1835 | A study of grain boundary nucleated Widmanstätten precipitates in a two-phase stainless steel |
| S. Varadarajan and
R. A. Fournelle | 1847 | Low temperature volume diffusion of zinc in aluminium |
| P. Moine, J. Delage,
A. R. Pelton and
R. Sinclair | 1855 | Structural determination of amorphous Ni-Ti thin films using electron diffraction analysis |
| A. Orlová and J. Čadež | 1865 | On Rösler and Arzt's new model of creep in dispersion strengthened alloys |
| A. Kar and J. Mazumder | 1873 | Model for nonequilibrium partitioning during rapid solidification of binary concentrated solutions |
| Ch. Hartig, X. F. Fang,
H. Mecking and
M. Dahms | 1883 | Textures and plastic anisotropy in γ -TiAl |
| T. Takasugi, S. Rikukawa
and S. Hanada | 1895 | Superplastic deformation in $\text{Ni}_3(\text{Si,Ti})$ alloys |
| R. Mohan, M. Ortiz
and C. F. Shih | 1907 | Mode mixity effects on crack tip deformation in ductile single crystals |
| K. S. Kumar and S. A. Brown | 1923 | Tensile behavior of the L_{12} compound $\text{Al}_{67}\text{Ti}_{25}\text{Cr}_8$ |
| H. K. Kim, E. J. Lavernia
and J. C. Earthman | 1933 | Mechanisms of intergranular cavity growth in Ni_3Al (Zr, B) |
| K. Tanoue | 1945 | Thermal activation analysis on the plastic deformation satisfied with the Cottrell-Stokes law |
| T. Abe | 1951 | Thermal equilibrium concentration fluctuations above the critical temperature in a Ni-Cu alloy |
| H. Zhao, K. T. Aust and
G. C. Weatherly | 1961 | Morphological development during ageing of Ni-W alloys |
| Z.-Z. Du and A. C. F. Cocks | 1969 | Constitutive models for the sintering of ceramic components—I. Material models |
| Z.-Z. Du and A. C. F. Cocks | 1981 | Constitutive models for the sintering of ceramic components—II. Sintering of inhomogeneous bodies |
| I. Tanaka, S. Nasu, H. Adachi,
Y. Miyamoto and
K. Niihara | 1995 | Electronic structure behind the mechanical properties of β -sialons |

- | | | |
|---|------|--|
| H. Y. Liu and H. Jones | 2003 | Solidification microstructure selection and characteristics in the Zn-based Zn-Al system |
| J. H. Yang and
C. M. Wayman | 2011 | On secondary variants formed at intersections of ϵ martensite variants |
| J. H. Yang and
C. M. Wayman | 2025 | Intersecting-shear mechanisms for the formation of secondary ϵ martensite variants |
| F. W. Zok and
S. M. Spearing | 2033 | Matrix crack spacing in brittle matrix composites |
| A. B. Pandey, R. S. Mishra
and Y. R. Mahajan | 2045 | Steady state creep behaviour of silicon carbide particulate reinforced aluminium composites |
| A. B. C. Dadson and
R. D. Doherty | 2053 | Transmission pseudo-Kossel (TK) studies of recrystallized hot-deformed (dynamically recovered) polycrystalline aluminium |
| T. J. Marrow, P. J. Cotterill
and J. E. King | 2059 | Temperature effects on the mechanism of time independent hydrogen assisted fatigue crack propagation in steels |
| Longquan Shi and
D. O. Northwood | 2069 | A "phase" approach to superplastic deformation |

NUMBER 9

- | | | |
|--|------|---|
| J. Schlipf | 2075 | Dislocation dynamics in strain aging alloys |
| R. M. German | 2085 | Sintering densification for powder mixtures of varying distribution widths |
| C. DeW. Van Siclen and
W. G. Wolfer | 2091 | Nonequilibrium vacancy entrapment by rapid solidification |
| W. A. Cassada, G. J. Shiflet
and W. A. Jesser | 2101 | Heterogeneous nucleation and growth of δ' in Al-8 at.% Li |
| V. K. Vasudevan,
E. E. Stansbury and
C. R. Brooks | 2113 | Domain coarsening at grain boundaries in ordered Ni ₄ Mo |
| W. Wunderlich and
H.-J. Gudladt | 2123 | TEM-studies of grain boundaries in cyclically deformed Al-Zn-Mg-bicrystals |
| Ke-fu Yao, Nai-yong Tang
and Nan-ping Chen | 2131 | An <i>in situ</i> observation of damage evolution and crack propagation |
| K. Hono, K. Hiraga,
Q. Wang, A. Inoue and
T. Sakurai | 2137 | The microstructure evolution of a Fe _{73.5} Si _{13.5} B ₉ Nb ₃ Cu ₁ nanocrystalline soft magnetic material |
| P. Kelly, D. A. Hills
and D. Nowell | 2149 | Models for plastic constraint in brazed or diffusion-bonded joints between ceramic components |

- | | | |
|--|------|--|
| Z. W. Lu, S.-H. Wei
and A. Zunger | 2155 | Theory of bonding charge density in β' NiAl |
| R. W. Hayes and B. London | 2167 | On the creep deformation of a cast near gamma TiAl alloy Ti-48Al-1Nb |
| Young Hoon Chung,
Myung Chul Shin and
Duk Yong Yoon | 2177 | The effect of external stress on the discontinuous precipitation in an Al-Zn alloy at high and low temperatures |
| Shen Zhong-yi, Shen De-jiu,
Zhang Yun, Yin Xiu-jun
and Wu Hao-quan | 2185 | The influence of pressure on crystallisation of amorphous $Zr_{70}Cu_{30}$ alloy—I. Crystallisation temperature and the crystallisation phases |
| S. M. Spearing and
A. G. Evans | 2191 | The role of fiber bridging in the delamination resistance of fiber-reinforced composites |
| M. S. Blanter and
M. Y. Fradkov | 2201 | Solute interaction and internal friction spectra in solid solutions |
| G. Schmitz and P. Haasen | 2209 | Decomposition of an Al-Li alloy—the early stages observed by HREM |
| D. Delfosse, H.-U. Künzi
and B. Ilschner | 2219 | Experimental determination of residual stresses in materials with a one-dimensional gradient of composition |
| A. Luo, K. S. Shin and
D. L. Jacobson | 2225 | Hafnium carbide strengthening in a tungsten-rhenium matrix at ultrahigh temperatures |
| H. Kessler, H.-J. Kleebe,
R. W. Cannon and
W. Pompe | 2233 | Influence of internal stresses on crystallization of intergranular phases in ceramics |
| J. Besson and A. G. Evans | 2247 | The effect of reinforcements on the densification of a metal powder |
| R. W. Neu and
Huseyin Sehitoglu | 2257 | Stress-induced transformation in a carburized steel—experiments and analysis |
| V. C. Jobin, R. Raj and
S. L. Phoenix | 2269 | Rate effects in metal-ceramic interface sliding from the periodic film cracking technique |
| Y. Brechet, T. Magnin and
D. Sornette | 2281 | The Coffin-Manson law as a consequence of the statistical nature of the LCF surface damage |
| D. Duly, Y. Brechet and
B. Chenal | 2289 | Macroscopic kinetics of discontinuous precipitation in a Mg-8.5 wt% Al alloy |
| A. Wang and H. J. Rack | 2301 | A statistical model for sliding wear of metals in metal/composite systems |
| H. C. Cao, J. Yang and
A. G. Evans | 2307 | The mode I fracture resistance of unidirectional fiber-reinforced aluminum matrix composites |

- M.-S. Hu, J. Yang, H. C. Cao, 2315 The mechanical properties of Al alloys reinforced with continuous Al_2O_3 fibers
A. G. Evans and
R. Mehrabian
- H. Sugimoto and Y. Fukai 2327 Solubility of hydrogen in metals under high hydrogen pressures: thermodynamical calculations
- W. C. Johnson and 2337 Gibbs–Duhem and Clausius–Clapeyron type equations for elastically stressed crystals
H. Schmalzried
- J. M. Howe and D. A. Smith 2343 Comparison between the invariant line and structural ledge theories for predicting the habit plane, orientation relationship and interphase boundary structure of plate-shaped precipitates
- S. Lay, P. Ayed and G. Nouet 2351 A study of $(0\bar{1}12)$ twin deviating from exact orientation in magnesium
- A. J. Allen, M. A. M. Bourke, 2361 The analysis of internal strains measured by neutron diffraction in Al/SiC metal matrix composites
S. Dawes, M. T. Hutchings
and P. J. Withers
- L. Kurian and R. Sasikumar 2375 Redistribution of second phase particles in solidifying alloy melts—entrapment and microsegregation within dendritic networks
- G. R. Odette, B. L. Chao, 2381 Ductile phase toughening mechanisms in a TiAl–TiNb laminate composite
J. W. Sheckherd and
G. E. Lucas
- G. L. Povirk, M. G. Stout, 2391 Thermally and mechanically induced residual strains in Al–SiC composites
M. Bourke, J. A. Goldstone,
A. C. Lawson, M. Lovato,
S. R. MacEwen, S. R. Nutt
and A. Needleman
- C. A. Bateman and 2413 Coherency effects during precipitate coarsening in partially stabilized zirconias
M. R. Notis
- R. Perez, J. A. Juarez-Islas 2423 Microstructural characteristics of quasicrystalline phases in alloys of Al–Cu–Fe–Co
and J. L. Albarran
- M. C. Chen, L. H. Chen and 2433 Analysis on the critical strain associated with the onset of Portevin–LeChatelier effect of substitutional f.c.c. alloys
T. S. Lui
- S. K. Sharma, M.-P. Macht 2439 A SIMS investigation of impurity diffusion in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$
and V. Naundorf
- A. Garg and J. M. Howe 2451 Grain-boundary precipitation in an Al–4.0Cu–0.5Mg–0.5Ag alloy
- K. E. Evans, M. A. Nkansah 2463 Modelling negative Poisson ratio effects in network-embedded composites
and I. J. Hutchinson

NUMBER 10

K. Ullakko and V. G. Gavriljuk	2471	Overview No. 99: Effects of coherent interfaces in the freshly formed iron-nickel-carbon martensites
J. C. Ambrose, M. G. Nicholas and A. M. Stoneham	2483	Dynamics of braze spreading
M. McCormack and J. W. Morris Jr	2489	Strain-induced shape changes of cubic precipitates in a cubic matrix with positive anisotropy
J. G. Williams	2497	Comments on the analysis of substrate cracking and spalling experiments
J. A. Nieminen, A. P. Sutton and J. B. Pethica	2503	Static junction growth during frictional sliding of metals
B. J. Pestman and J. Th. M. De Hosson	2511	Interactions between lattice dislocations and grain boundaries in Ni ₃ Al investigated by means of <i>in situ</i> TEM and computer modelling experiments
G. Yu and K. Lücke	2523	On the theory of short range ordering kinetics under special consideration of correlation effects
R. W. Fonda, W. A. Cassada and G. J. Shiflet	2539	Accommodation of the misfit strain surrounding {111} precipitates (Ω) in Al-Cu-Mg-(Ag)
G. Bao	2547	Damage due to fracture of brittle reinforcements in a ductile matrix
T. Kawabata, T. Abumiya and O. Izumi	2557	Effect of oxygen addition on mechanical properties of TiAl at 293–1273 K
T. C. Lee, I. M. Robertson and H. K. Birnbaum	2569	Interaction of dislocations with grain boundaries in Ni ₃ Al
R. S. Hay and B. Evans	2581	The coherency strain driving force for CIGM in non-cubic crystals: comparison with <i>in situ</i> observations in calcite
K. Zeng, K. Breder and D. J. Rowcliffe	2595	The Hertzian stress field and formation of cone cracks—I. Theoretical approach
K. Zeng, K. Breder and D. J. Rowcliffe	2601	The Hertzian stress field and formation of cone cracks—II. Determination of fracture toughness
R. Singh and S. Banerjee	2607	Resisting stress of a low alloy ferritic steel after creep exposure in service
R. J. Braun and S. H. Davis	2617	Cellular instability in rapid directional solidification: bifurcation theory
B. Devincre and M. Condat	2629	Model validation of a 3D simulation of dislocation dynamics: discretization and line tension effects

- | | | |
|---|------|---|
| M. D. Thouless,
J. W. Hutchinson and
E. G. Liniger | 2639 | Plane-strain, buckling-driven delamination of thin films: model experiments and mode-II fracture |
| H. Mizubayashi, M. Morita,
T. Kakiyama and S. Okuda | 2651 | Anelastic study of screw-dislocation motion in high-purity niobium |
| A. Maheshwari and
A. J. Ardell | 2661 | Anomalous coarsening behavior of small volume fractions of Ni ₃ Al precipitates in binary Ni-Al alloys |
| M. Bobeth, W. Pompe,
E. Schumann and M. Rühle | 2669 | Out-diffusion of the noble component during the initial stage of the oxidation of γ' -Ni ₃ Al |
| N. Louat and K. Sadananda | 2677 | On the dislocation-free zone and the modification of <i>G</i> by work hardening |
| Tze-jer Chuang,
June-Liang Chu
and Sanboh Lee | 2683 | Asymmetric tip morphology of creep microcracks growing along bimaterial interfaces |
| J.-P. Simon, O. Lyon,
F. Faudot, L. Boulanger
and O. Dimitrov | 2693 | Thermal stability of Invar Fe-Ni alloys above 500°C |
| O. Ajaja | 2701 | The stress change technique of determining work-hardening rates during creep |
| Yu. M. Mishin and
I. M. Razumovskii | 2707 | A theory of heterophase fluctuations and application to the f.c.c.-h.c.p. transformation in cobalt |
| A. Bravo-León,
M. Jiménez-Melendo and
A. Domínguez-Rodríguez | 2717 | Mechanical and microstructural aspects of the high temperature plastic deformation of yttria-stabilized zirconia polycrystals |
| K.-M. Chang, R. Darolia
and H. A. Lipsitt | 2727 | Cleavage fracture in B2 aluminides |
| Wei Bingbo | 2739 | Unidirectional dendritic solidification under longitudinal resonant vibration |
| P. J. Cotterill and
J. F. Knott | 2753 | Effects of temperature and environment on fatigue crack growth mechanisms in a 9% Cr 1% Mo steel |
| P. R. Rios | 2765 | Abnormal grain growth in pure materials |
| T. S. Sriram, M. E. Fine
and Y. W. Chung | 2769 | The application of surface science to fatigue: the role of surface chemistry and surface modification in fatigue crack initiation in silver single crystals |
| T. L. Dragone and
W. D. Nix | 2781 | Steady state and transient creep properties of an aluminum alloy reinforced with alumina fibers |
| S. M. Kim | 2793 | Vacancy properties in β -NiGa and β -NiAl |

- | | | |
|--------------------------------------|------|---|
| S. R. Summerfelt and
C. B. Carter | 2799 | Dissolution of NiFe_2O_4 particles in a NiO matrix |
| S. R. Summerfelt and
C. B. Carter | 2805 | Interaction between dislocations and NiFe_2O_4 precipitates in a NiO matrix |

I *Acta Metallurgica et Materialia*—Associate Editors

NUMBER 11

iii Announcement

- | | | |
|---|------|--|
| S. L. Phoenix and R. Raj | 2813 | Overview No. 100: Scalings in fracture probabilities for a brittle matrix fiber composite |
| J. Svoboda and H. Riedel | 2829 | Pore-boundary interactions and evolution equations for the porosity and the grain size during sintering |
| N. Shi, B. Wilner and
R. J. Arsenault | 2841 | An FEM study of the plastic deformation process of whisker reinforced SiC/Al composites |
| M. G. Goldiner and
O. Yu. Keloglu | 2855 | Specimen size effects in DIGM, DIR and RID |
| W. Zielinski, M. J. Lii
and W. W. Gerberich | 2861 | Crack-tip dislocation emission arrangements for equilibrium—I. <i>In situ</i> TEM observations of Fe-2wt%Si |
| H. Huang and
W. W. Gerberich | 2873 | Crack-tip dislocation emission arrangements for equilibrium—II. Comparisons to analytical and computer simulation models |
| P. G. Marsh, W. Zielinski,
H. Huang and
W. W. Gerberich | 2883 | Crack-tip dislocation emission arrangements for equilibrium—III. Application to large applied stress intensities |
| S. C. Gill, M. Zimmermann
and W. Kurz | 2895 | Laser resolidification of the Al- Al_2Cu eutectic: the coupled zone |
| H. Kong and M. F. Ashby | 2907 | Wear mechanisms in brittle solids |
| R. Stalmans,
J. Van Humbeeck and
L. Delaey | 2921 | The two way memory effect in copper-based shape memory alloys—thermodynamics and mechanisms |
| P. Krüger and E. Woldt | 2933 | The use of an activation energy distribution for the analysis of the recrystallization kinetics of copper |
| Y. Yoshizawa and
T. Sakuma | 2943 | Improvement of tensile ductility in high-purity alumina due to magnesia addition |
| D. L. Zhang and
B. Cantor | 2951 | The effect of dopants on the heterogeneous nucleation of solidification of Cd and Pb particles embedded in an Al matrix |

- | | | |
|---|------|---|
| Z. M. Sun, J. B. Li,
Z. G. Wang and W. J. Li | 2961 | Residual stresses in silicon carbide particulate reinforced aluminium composites |
| S. Jansson and
F. A. Leckie | 2967 | The mechanics of failure of silicon carbide fiber-reinforced glass-matrix composites |
| P. W. Voorhees,
G. B. McFadden and
W. C. Johnson | 2979 | On the morphological development of second-phase particles in elastically-stressed solids |
| L. M. Hsiung and
N. S. Stoloff | 2993 | Mechanisms of cyclic strain hardening in $\text{Ni}_3\text{Al} + \text{B}$ single crystals |
| X. Liang, J. C. Earthman
and E. J. Lavernia | 3003 | On the mechanism of grain formation during spray atomization and deposition |
| J. C. Hay and
K. W. White | 3017 | Crack face bridging mechanisms in monolithic MgAl_2O_4 spinel microstructures |
| K. Hono, S. S. Babu,
K. Hiraga, R. Okano
and T. Sakurai | 3027 | Atom probe study of early stage phase decomposition in an Al-7.8 at.% Li alloy |
| L. M. Hsiung, W. Cai
and H. N. G. Wadley | 3035 | Mechanisms of isothermal phase transformations in rapidly solidified Ti-24Al-11Nb |
| M. J. Mills and
D. C. Chrzan | 3051 | Dynamical simulation of dislocation motion in L1_2 alloys |
| D. G. Morris and
S. Günter | 3065 | Ordering, ternary atom location and ageing in L1_2 trialuminide alloys |
| R. N. Ghosh and
M. McLean | 3075 | High temperature deformation in engineering alloys—modelling for strain or load control |
| W. J. Clegg | 3085 | The fabrication and failure of laminar ceramic composites |
| H. Inui, M. H. Oh,
A. Nakamura and
M. Yamaguchi | 3095 | Room-temperature tensile deformation of polysynthetically twinned (PST) crystals of TiAl |
| H. Schmidt, G. Froberg
and H. Wever | 3105 | Diffusion of ^{63}Ni in the intermetallic B8_2 -alloys in the systems Ni/Sn and Ni/In |
| S. M. Pickard, S. Schmauder,
D. B. Zahl and A. G. Evans | 3113 | Effects of misfit strain and reverse loading on the flow strength of particulate-reinforced Al matrix composites |
| W.-H. Gu, K. T. Faber and
R. W. Steinbrech | 3121 | Microcracking and R-curve behavior in SiC-TiB_2 composites |
| R. Larker, A. Nissen,
L. Pejryd and B. Loberg | 3129 | Diffusion bonding reactions between a SiC/SiC composite and two superalloys during joining by hot isostatic pressing |

- | | | |
|---|------|---|
| Shoichi Shibata, M. Taya,
T. Mori and T. Mura | 3141 | Dislocation punching from spherical inclusions in a metal matrix composite |
| X. L. Li, R. Hillel,
F. Teyssandier,
S. K. Choi and
F. J. J. Van Loo | 3149 | Reactions and phase relations in the Ti-Al-O system |
| S. A. Maloy, A. H. Heuer,
J. J. Lewandowski and
T. E. Mitchell | 3159 | On the slip systems in MoSi ₂ |
| N. L. Petouhoff, A. J. Ardell
and A. F. Jankowski | 3167 | Mechanical behavior of both sides of an amorphous Fe ₇₈ B ₁₄ Si ₈ alloy ribbon as determined from miniaturized disk-bend tests |
| Y. Zhou, L. S. Tóth and
K. W. Neale | 3179 | On the stability of the ideal orientations of rolling textures for f.c.c. polycrystals |
| M. W. Petrie and
N. W. Page | 3195 | Shock consolidation of rapidly solidified neodymium based rare earth magnet powders |

NUMBER 12

- | | | |
|--|------|---|
| J. L. Pelegrina and
M. Ahlers | 3205 | Overview No. 101: The martensitic phases and their stability in Cu-Zn and Cu-Zn-Al alloys—I. The transformation between the high temperature β phase and the 18R martensite |
| M. Ahlers and
J. L. Pelegrina | 3213 | Overview No. 101: The martensitic phases and their stability in Cu-Zn and Cu-Zn-Al alloys—II. The transformation between the close packed martensitic phases |
| J. L. Pelegrina and
M. Ahlers | 3221 | Overview No. 101: The martensitic phases and their stability in Cu-Zn and Cu-Zn-Al alloys—III. The transformation between the high temperature phase and the 2H martensite |
| F. Saule, M. Ahlers,
F. Kropff and E. B. Rivero | 3229 | Overview No. 101: The martensitic phases and their stability in Cu-Zn and Cu-Zn-Al alloys—IV. The influence of lattice parameter changes and evaluation of phase stabilities |
| F. Y. Génin, W. W. Mullins
and P. Wynblatt | 3239 | Capillary instabilities in thin films: a model of thermal pitting at grain boundary vertices |
| S. J. Chen and D. G. Howitt | 3249 | A mechanism to describe the basal twinning of sapphire |
| T. H. Lin and Q. Y. Chen | 3255 | Micromechanics of high-cycle initiation of fatigue cracking intermetallic compounds |
| N. Hansen and D. Juul Jensen | 3265 | Flow stress anisotropy caused by geometrically necessary boundaries |

- | | | |
|--|------|--|
| D. Y. Li and J. A. Szpunar | 3277 | Determination of single crystals' elastic constants from the measurement of ultrasonic velocity in the polycrystalline material |
| B. N. Cox, M. S. Dadkhah,
R. V. Inman, W. L. Morris
and J. Zupon | 3285 | Mechanisms of compressive failure in 3D composites |
| S. I. Hong and
G. T. Gray III | 3299 | Microstructure and microchemistry of an Al-Zn-Mg-Cu alloy matrix-20 vol.% SiC composite |
| J. Noordhuis and
J. Th. M. De Hosson | 3317 | Surface modification by means of laser melting combined with shot peening: a novel approach |
| E. Nembach | 3325 | Synergetic effects in the superposition of strengthening mechanisms |
| Kai-tak Wan and
B. R. Lawn | 3331 | Effect of chemical interaction on Barenblatt crack profiles in brittle solids |
| W. T. Kim and B. Cantor | 3339 | Solidification behaviour of Pb droplets embedded in a Cu matrix |
| A. V. Sisanbaev and
R. Z. Valiev | 3349 | The effect of triple junction type on grain-boundary sliding and accommodation in aluminium tricrystals |
| A. J. Wilkinson and
D. J. Dingley | 3357 | The distribution of plastic deformation in a metal matrix composite caused by straining transverse to the fibre direction |
| Panping Zhu and
R. W. Smith | 3369 | Dynamic simulation of crystal growth by Monte Carlo method—II. Ingot microstructures |
| F. Langmayr, P. Fratzl
and G. Vogl | 3381 | Volume fraction dependence of the structure function in Al-Ag |
| F. C. Lovey, A. Isalgue
and V. Torra | 3389 | Hysteresis loops in stress induced β -18R martensite transformation in Cu-Zn-Al |
| M. De Graef,
J. P. A. Löfvander,
C. McCullough and
C. G. Levi | 3395 | The evolution of metastable B ₂ borides in a Ti-Al-B alloy |
| Taotsung Shun, C. M. Wan
and J. G. Byrne | 3407 | A study of work hardening in austenitic Fe-Mn-C and Fe-Mn-Al-C alloys |
| Toshiyuki Fujii, T. Mori
and Masaharu Kato | 3413 | Crystallography and morphology of needle-like α -Fe precipitate particles in a Cu matrix |
| R. V. Ramanujan, J. K. Lee
and H. I. Aaronson | 3421 | A discrete lattice plane analysis of the interfacial energy of coherent f.c.c.:h.c.p. interfaces and its application to the nucleation of γ in Al-Ag alloys |

- | | | |
|--|------|---|
| R. V. Ramanujan,
H. I. Aaronson, J. K. Lee
and R. W. Hyland Jr | 3433 | A discrete lattice plane analysis of the composition profile and surface energy of binary h.c.p. alloys with applications to γ Al-Ag |
| O. Prakash and
D. R. H. Jones | 3443 | Creep of metal-type organic compounds—I. Pure polycrystals and particle-hardened systems |
| E. Bouchaud, J.-P. Bouchaud,
S. Naka, G. Lapasset and
H. Octor | 3451 | Dissolution of precipitates by migrating grain boundaries |
| V. Yu. Novikov, E. A. Zalem
and Yu. A. Smirnova | 3459 | Computer simulation of microstructure evolution during secondary recrystallization |
| A. M. Simon and
Z. J. Grzywna | 3465 | On the Larché-Cahn theory for stress-induced diffusion |
| A. D. Rollett, D. J. Srolovitz,
M. P. Anderson and
R. D. Doherty | 3475 | Computer simulation of recrystallization—III. Influence of a dispersion of fine particles |
| R. B. McLellan and
Y. C. Angel | 3497 | Thermodynamics of monovacancy formation |

SUPPLEMENT

PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM ON METAL-CERAMIC INTERFACES, JULY 1991

vii Preface

SECTION I: THEORY OF METAL-CERAMIC INTERFACES

- | | | |
|---|-----|--|
| U. Schönberger, O. K. Andersen
and M. Methfessel | S1 | Bonding at metal-ceramic interfaces; <i>ab initio</i> density-functional calculations for Ti and Ag on MgO |
| D. M. Duffy, J. H. Harding
and A. M. Stoneham | S11 | Atomistic modelling of the metal/oxide interface with image interactions |
| W. R. L. Lambrecht and
B. Segall | S17 | Electronic structure of SiC-TiC interfaces |
| M. W. Finnis | S25 | Metal-ceramic cohesion and the image interaction |
| H. J. Fecht | S39 | Geometric aspects of low energy metal-ceramic interphase boundaries |

SECTION II: FORMATION CHEMISTRY AND SEGREGATION OF INTERFACES

- | | | |
|------------------------------|-----|---|
| C. P. Flynn and S. Yadavalli | S45 | Growth of metal-ceramic interfaces by molecular beam epitaxy |
| B. Derby and C.-D. Qin | S53 | Metal-ceramic interfaces: sources and sinks for mass transfer |

- | | | |
|--|------|--|
| B. Gibbesch and G. Elssner | S59 | Ultra high vacuum diffusion bonded Nb-Al ₂ O ₃ and Cu-Al ₂ O ₃ joints—the role of welding temperature and sputter cleaning |
| I. E. Reimanis | S67 | Pore removal during diffusion bonding of Nb-Al ₂ O ₃ interfaces |
| R. E. Loehman and
A. P. Tomsia | S75 | Reactions of Ti and Zr with AlN and Al ₂ O ₃ |
| T. Wagner, R. Kirchheim and
M. Rühle | S85 | Electrochemically-induced reactions at Ni/ZrO ₂ interfaces |
| M. Backhaus-Ricoult | S95 | Solid state reactions between silicon carbide and (Fe, Ni, Cr)-alloys: reaction paths, kinetics and morphology |
| K. P. Trumble | S105 | Thermodynamic analysis of aluminate formation at Fe/Al ₂ O ₃ and Cu/Al ₂ O ₃ interfaces |
| E. Heikinheimo,
A. Kodentsov,
J. A. van Beek,
J. T. Klomp and
F. J. J. van Loo | S111 | Reactions in the systems Mo-Si ₃ N ₄ and Ni-Si ₃ N ₄ |
| I. Gotman and
E. Y. Gutmanas | S121 | Microstructure and thermal stability of coated Si ₃ N ₄ and SiC |
| T. Suga, Y. Takahashi,
H. Takagi, B. Gibbesch
and G. Elssner | S133 | Structure of Al-Al and Al-Si ₃ N ₄ interfaces bonded at room temperature by means of the surface activation method |
| J. Th. M. De Hosson,
X. B. Zhou and
M. Van Den Burg | S139 | Metal-ceramic interfaces in laser coated steels: a transmission electron microscopy study of a mixture of iron and spinel grains |

SECTION III: ADVANCED TECHNIQUES FOR STUDYING METAL-CERAMIC INTERFACES

- | | | |
|--|------|---|
| C. H. Lee and K. S. Liang | S143 | X-ray studies of misfit dislocations in the interface of epitaxial Nb films on sapphire |
| S. J. Pennycook and
D. E. Jesson | S149 | Atomic resolution Z-contrast imaging of interfaces |
| D. A. Bonnell, I. Solomon,
G. S. Rohrer and C. Warner | S161 | Direct measurement of local properties of interfaces with scanning tunneling microscopy |
| S. J. Rozeveld, J. M. Howe
and S. Schmauder | S173 | Measurement of residual strain in an Al-SiC _w composite using convergent-beam electron diffraction |

SECTION IV: STRUCTURAL DEFECTS

- | | | |
|---|------|--|
| A. C. Daykin, C. J. Kiely
and R. C. Pond | S195 | Defects in Ni and Co silicide: Si interfaces |
|---|------|--|

- | | | |
|--|------|---|
| W. Mader and D. Knauss | S207 | Equilibrium position of misfit dislocations at planar interfaces |
| J. Mayer, G. Gutekunst,
G. Möbus, J. Dura,
C. P. Flynn and M. Rühle | S217 | Structure and defects of MBE grown Nb-Al ₂ O ₃ interfaces |
| A. Trampert, F. Ernst,
C. P. Flynn,
H. F. Fischmeister and
M. Rühle | S227 | High resolution transmission electron microscopy studies of the Ag/MgO interface |
| D. X. Li, P. Pirouz,
A. H. Heuer, S. Yadavalli
and C. P. Flynn | S237 | The characterization of Nb-Al ₂ O ₃ and Nb-MgO interfaces in MBE grown Nb-MgO-Nb-Al ₂ O ₃ multilayers |
| K. L. Merkle, M. I. Buckett
and Y. Gao | S249 | Atomic structure of heterophase interfaces |
| P. Lu and F. Cosandey | S259 | Dislocation structures at Cu-MgO and Pd-MgO interfaces |
| M. Backhaus-Ricoult and
S. Hagège | S267 | Metal-ceramic interfaces in internally reduced (Mg, Cu)O |
| N. Tanaka, F. Yoshizaki,
K. Katzuda and K. Mihama | S275 | Interface structures of γ -iron crystallites embedded in magnesium oxide crystalline films |
| M. Van Den Burg and
J. Th. M. De Hosson | S281 | Al-SiC interface structure studied by HREM |
| Y. Ishida, J. Wang and
T. Suga | S289 | Designing structural defects to relieve thermal stress |

SECTION V: MECHANICAL PROPERTIES

- | | | |
|--|------|--|
| A. G. Evans and
B. J. Dalgleish | S295 | The fracture resistance of metal-ceramic interfaces |
| J. L. Bassani, V. Vitek
and I. Alber | S307 | Atomic-level elastic properties of interfaces and their relation to continua |
| G. E. Beltz and J. R. Rice | S321 | Dislocation nucleation at metal-ceramic interfaces |
| M. De Graef, B. J. Dalgleish,
M. R. Turner and
A. G. Evans | S333 | Interfaces between alumina and platinum: structure, bonding and fracture resistance |
| G. Dreier, M. Meyer,
S. Schmauder and
G. Elssner | S345 | Fracture mechanics studies of thermal mismatch using a four-point bending specimen |
| D. Korn, G. Elssner,
H. F. Fischmeister
and M. Rühle | S355 | Influence of interface impurities on the fracture energy of UHV bonded niobium-sapphire bicrystals |
| A. Frisch, W. A. Kayser,
W. Zhang and G. Petzow | S361 | Stress relaxation and bonding in Si ₃ N ₄ /MA6000 joints by reactive interlayers |

